


The **Lined Pipe Insert (LP)** valve is designed to mate between two flanges on most lined pipe systems. It provides the simplest and most economical way to install a check valve in a lined piping system. No gaskets are required; just spread the flanges, center the valve and bolt the flanges together. LP valves are available in fluoropolymer (PTFE/FEP/PFA) and Alloy C-276 to satisfy the most demanding applications. The standard spring material is Alloy C-276. Other materials are available upon request. The LP valve can also be used as a low pressure relief valve or vacuum breaker by using the desired spring settings.




Nom. Pipe Size	Size Code	A	В		C	D 1	OD	Orifice 0 Diameter
				PTFE	HC			
1	Н	0.590	1/4	0.26	0.26	0.53	2	0.348
1-1/2	J	1.120	1/4	0.46	0.42	0.78	2-7/8	0.593
2	K	1.570	1/4	0.79	0.44	1.01	3-5/8	1.135
3	М	2.520	5/16	0.77	0.66	1.43	5	1.5553
• Maximum nominal dimension for a fully open valve with no spring.								

Maximum nominal dimension for a fully open valve with no spring
 Orifice Diameter for PTFE valve may vary due to molding process.
 3" PTFE valves use 1.385 Orifice Diameter.

Body Material 4	Nominal Pipe Size	Non-Shock Pressure-Temperature Rating
Alloy C-276 (HC)	1" - 3"	ANSI Class 150 & 300
PTFE (TF)	1" - 2"	55 PSIG @ 100°F 5
FIFE (IF)	3"	20 PSIG @ 100°F 🗿

See page 54 for material grade information. Contact the factory for availability of other materials.
 Consult the factory for reduced P-T rating above 100°F.




Note: All flow curves and Cv values presume the valves are fully open with 1/2 PSI cracking pressure springs. Consult the factory for more information.

STYLE LP C _V VALUES & VALVE WEIGHTS								
METAL C _v	PTFE C _V	SIZE	METAL	PTFE				
2.4	2.4	1	4.0 oz.	1.0 oz.				
6.1	6.1	1-1/2	8.8 oz.	2.2 oz.				
18.8	18.8	2	14.4 oz.	3.2 oz.				
45.8	32.0	3	2.3 lb.	9.0 oz.				

See page 49 for Flow Formulae. Valve weights are approximate.

HOW TO ORDER CHECK-ALL STYLE LP



Listed above are the most common material selections. Please contact the factory for additional options.

- **1**.500 PSI is the only standard cracking pressure for spring materials other than Stainless Steel. .125 PSI springs are not recommended for installations with flow vertical down.
- O "Metal-to-Metal" and PTFE seats are not resilient. See page 50 for allowable leakage rates.
- OFor PTFE valves, "TF" o-ring seats are not available, "MT" seats mean plastic to plastic. (No o-ring)

 www.checkall.com
 sales@checkall.com
 ISO 9001 CERTIFIED
 MADE IN USA
 2016

 AFLAS®
 AGC Chemicals Americas, Inc.
 INCONEL®
 Special Metals Family of Companies
 KALREZ®
 E.I. du Pont de Nemours and Company